REPORT DOCUMENTATION PAGE						
Public reporting burden for this collection of information is estimated to average 1 hour per response, including AFRL-S					SR-AR-TR-02-	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information. Send collection of information, including suggestions for reducing this burden, to Washington Headquarters Services Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperw					is sis	
Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperw 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPOR					584	一
		18 Sep 02	- 1		MAR 01 TO 28 FEB 02	
4. TITLE AND SUBTITLE (DURIP-01) PURE-BEAMS OF HIGHLY VIBRATIONALLY EXCITED MOLECULES					5. FUNDING NUMBERS F49620-01-1-0201 3484/US	
6. AUTHOR(S) Prof. Alec M. Wodtke					61103D	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, Santa Barbara Department of Chemistry Santa Barbara, CA 93106					ORMING ORGANIZATION ORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NL 4015 Wilson Blvd, Room 713 Arlington, VA 22203-1954					NSORING/MONITORING NCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				L		
12a. DISTRIBUTION AVAILABILITY STATEMENT					12b. DISTRIBUTION CODE	
Approve for Public Release: Distribution Unlimited						
13. ABSTRACT (Maximum 200 wo	rds)					
The grant was used to purchase prepared vibrationally excited m hexapole filtering and 3) detection Sirah, which allow stimulated endidicated another existing Yag-p	olecule on. In a nission	s. It consists of three diaddition two Yag-pumper pumping to prepare high	fferentially po d dye laser sy nly vibrationa	umped chamber, fo ystems were purcha Ily excited states of	r: 1) state preparaton, 2) sed from Spectra-Physics a molecules. We have also	.
		ć				
14. SUBJECT TERMS					15. NUMBER OF PAGES	\dashv
					16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT		CURITY CLASSIFICATION THIS PAGE	19. SECURIT	Y CLASSIFICATION TRACT	20. LIMITATION OF ABSTRA	ACT
Unclas		Unclas	Unclas			

Standard Form 298 (Rev. 2-89) (EG) Prescribed by ANSI Std. 239.18 Designed using Perform Pro, WHS/DIOR, Oct 94

Final Technical Report

In 2001 UCSB (for the research of Professor Alec Wodtke) was awarded a Defense University Research Instrumentation Program (DURIP) grant with the following particulars.

- 1. TITLE: "Pure-beams" of highly vibrationally excited molecules.
- PRINCIPAL INVESTIGATOR: Professor Alec M. Wodtke (805) 893 8085/8552; University
 of California; Department of Chemistry; Santa Barbara, CA. 93106.
- 3. CURRENT DOD CONTRACT OR GRANT: Air Force Office of Scientific Research Grant Number F49620-()1-1-0201. F49620-01-1-0201
- 4. AMOUNT: \$273,000.
- 5. DATES: March 1, 2001 Feb. 27, 2002.

The grant was used to purchase construct and install necessary instrumentation to implement

Hexapole focusing of laser prepared vibrationally excited molecules. A schematic diagram of the now completed instrument is shown in Fig. 1.

It consists of three differentially pumped chamber, for: 1) state preparation, 2) hexapole filtering and 3) detection. In addition two Yag-pumped





FIG. 1. Schematic of the beam source for "pure vibrationally excited NO": NO expands from a pulsed valve and is excited (laser beam orthogonal to figure surface) before the skimmer by SEP. The hexapole (Rod diameter--3 mm, Center-Center Rod spacing--9 mm, hexapole length--50 cm) selectively focuses the laser prepared molecules onto the target aperture. Initially, the source will be attached to a detection chamber, where REMPI and electron impact ionization detection of transmitted molecules is performed.

dye laser systems were purchased from Spectra-Physics and Sirah, which allow stimulated emission pumping to prepare highly vibrationally excited states of molecules. We have also dedicated another existing Yag-pumped dye laser system to the project for REMPI and LIF detection of the focused molecules.



photograph of the instrument. The reflectron can be easily recognized (middle-toupper left). The source chamber is at the right. The Pump laser system can just be seen in the

and

the

shows

Fig.

DUMP laser to the right in the background is also visible. The Probe laser is not visible behind the vacuum chamber. A large 3-D Helmholz coil allows experiments in well controlled magnetic fields.

We have now successfully focused vibrationally excited molecules through the hexapole demonstrating that our basic experimental premise. The performance of the instrument appears promising. We now routinely achieve electric fields in excess of 100 kVolts/cm. Focusing curves have been simulated by classical trajectory calculations. We will be preparing publication of this result in the near future.

Preliminary results from this instrument have also been presented at several scientific forums.

- 1. Invited Speaker, ACS meeting Orlando Florida, April 7 2002.
- 2. Invited Speaker, Atomic and Molecular Interactions Gordon Conference, July 7 2002.
- 3. Invited Speaker "Chemistry Colloquium" Boston University, Boston Massachusetts, Sept. 17 2002
- 4. Invited Speaker "Physical Chemistry Seminar" Massachusetts Insitute of Technology, Boston Massachusetts, Sept. 17 2002
- 5. Invited Speaker "Physical Chemistry Seminar" University of Sherbrooke, Quebec Canda, Sept. 18 2002
- 6. Invited Speaker "Physical Chemistry Seminar" Emory University, Atlanta Georgia, Sept. 20 2002
- 7. Invited Speaker "Conference on Stereo-Dynamics of Chemical Reactions" Schoorl, the Netherlands Dec. $1-6\,2002$